

June 2022

PROTECTION OF POTABLE WATER SYSTEMS

This bulletin is being issued for safety purposes as low compliance has been observed related to the installation of cross connection control and backflow protection devices, in accordance with the National Plumbing Code of Canada (NPC).

Compliance with safety standards established under the Construction Code Act and the Plumbing Code Regulations will ensure safe plumbing systems throughout Saskatchewan.

Section 2.6.2 Division B of the NPC outlines requirements for the protection of potable water systems through the selection and installation of backflow preventers. Appendix A of the Saskatchewan Plumbing Code Regulations amends sentences 2.6.2.4. (1), (2), (3) and (4) pertaining to the requirements for the protection from backflow on fire protection systems.

Effective October 1st, 2022, Technical Safety Authority of Saskatchewan (TSASK) plumbing permit holders constructing new plumbing systems must ensure installations are completed in accordance with 2.6.2 Division B of the 2015 edition of the NPC and the Saskatchewan Plumbing Code Regulations.

The cities of Regina, Saskatoon, Lloydminster, and the Global Transportation Hub are subject to local bylaws and jurisdiction.

If you have any questions or concerns, please contact your local inspector, email geis@tsask.ca, or call 1- 866-530-8599.

Sincerely,

Stephen Friedt

Chief Gas & Plumbing Inspector

ADDITIONAL RESOURCES

- Saskatchewan Plumbing Code Regulations: [TSASK Act & Regulations \(tsask.ca\)](https://www.tsask.ca/TSASK-Act-&-Regulations)
- National Plumbing Code of Canada: [Information Archived on the Web \(publications.gc.ca\)](https://www.publications.gc.ca/)
- American Water Works Association, Western Canada Section: [WCSAWWA \(www.wcsawwa.net\)](http://www.wcsawwa.net)
- Government of SK, Cross Connection Control and Backflow Prevention Program Guidelines: [Publications Centre \(saskatchewan.ca\)](https://www.saskatchewan.ca/)

